

**Nutritional Assessment Questionnaire Digestion Health Assessment**

Name: \_\_\_\_\_ Date: \_\_\_\_/\_\_\_\_/\_\_\_\_

Birth Date: \_\_\_\_\_ Birth City and State: \_\_\_\_\_

Please list your five major health concerns in order of importance:

- 1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_

Notes: [Empty box]

Do you sleep well? \_\_\_\_\_ If so, what time(s)? \_\_\_\_\_
Do wake up during the night? \_\_\_\_\_ What time do you go to bed? \_\_\_\_\_
How do you feel when you wake up? \_\_\_\_\_ What time do you generally wake-up? \_\_\_\_\_
Do you drink caffeinated drinks? \_\_\_\_\_ How much & how often? \_\_\_\_\_

How much water do you drink per day? \_\_\_\_\_
What was your eating habits like as a child? (List types of foods) \_\_\_\_\_
What percentage of your food is home-made fresh? \_\_\_\_\_
What are the three healthiest foods you eat each week? \_\_\_\_\_
What are the three worst foods you eat each week? \_\_\_\_\_
How often do you eat out at a restaurant? Where? \_\_\_\_\_

What are your eating/drinking habits these days?

Breakfast:

Lunch:

Dinner:

Snacks:

Liquids:

**PART I** Read the following questions and circle the number that applies:

KEY: 0 = Do not consume or use 2 = Consume or use weekly
1 = Consume or use 2 to 3 times monthly 3 = Consume or use daily

**DIET**

- 1. 0 1 2 3 Alcohol 7. 0 1 2 3 Cigars/pipes 14. 0 1 Radiation exposure (0=no, 1=yes)
2. 0 1 2 3 Artificial sweeteners 8. 0 1 2 3 Caffeinated beverages 15. 0 1 2 3 Refined flour/baked goods
3. 0 1 2 3 Candy, desserts, refined sugar 9. 0 1 2 3 Fast foods 16. 0 1 2 3 Vitamins and minerals
4. 0 1 2 3 Carbonated beverages 10. 0 1 2 3 Fried foods 17. 0 1 2 3 Water, distilled
5. 0 1 2 3 Chewing tobacco 11. 0 1 2 3 Luncheon meats 18. 0 1 2 3 Water, tap
6. 0 1 2 3 Cigarettes 12. 0 1 2 3 Margarine 19. 0 1 2 3 Water, well
13. 0 1 2 3 Milk products 20. 0 1 2 3 Diet often for weight control

KEY: 0=No, symptom does not occur 2=Moderate symptom, occurs occasionally (weekly)
1=Yes, minor or mild symptom, rarely occurs (monthly) 3=Severe symptom, occurs frequently (daily)

**LIFESTYLE**

12

- 21. 0 1 2 3 Exercise per week (0 = 2 or more times a week, 1 = 1 time a week, 2 = 1 or 2 times a month, 3 = never, less than once a month)
- 22. 0 1 2 3 Changed jobs (0 = over 12 months ago, 1 = within last 12 months, 2 = within last 6 months, 3 = within last 2 months)
- 23. 0 1 2 3 Divorced (0 = never, over 2 years ago, 1 = within last 2 years, 2 = within last year, 3 = within last 6 months)
- 24. 0 1 2 3 Work over 60 hours/week (0 = never, 1 = occasionally, 2 = usually, 3 = always)

**MEDICATIONS** Indicate any medications you're currently taking or have taken in the last month (0=no, 1=yes):

54

- |  |   |
|--|---|
| 25. 0 1 Antacids                                   | 39. 0 1 Diuretics   |
| 26. 0 1 Antianxiety medications                    | 40. 0 1 Estrogen or progesterone (pharmaceutical, prescription) |
| 27. 0 1 Antibiotics                                | 41. 0 1 Estrogen or progesterone (natural)                      |
| 28. 0 1 Anticonvulsants                            | 42. 0 1 Heart medications                                       |
| 29. 0 1 Antidepressants                            | 43. 0 1 High blood pressure medications                         |
| 30. 0 1 Antifungals                                | 44. 0 1 Laxatives   |
| 31. 0 1 Aspirin/Ibuprofen                          | 45. 0 1 Recreational drugs                                      |
| 32. 0 1 Asthma inhalers                            | 46. 0 1 Relaxants/Sleeping pills                                |
| 33. 0 1 Beta blockers                              | 47. 0 1 Testosterone (natural or prescription)                  |
| 34. 0 1 Birth control pills/implant contraceptives | 48. 0 1 Thyroid medication                                      |
| 35. 0 1 Chemotherapy                               | 49. 0 1 Acetaminophen (Tylenol)                                 |
| 36. 0 1 Cholesterol lowering medications           | 50. 0 1 Ulcer medications                                       |
| 37. 0 1 Cortisone/steroids                         | 51. 0 1 Sildenafil citrate (Viagra)                             |
| 38. 0 1 Diabetic medications/insulin               |   |

**PART II (See key at bottom of page)**

**Section 1**

55

- |   |  |
|---|--|
| 52. 0 1 2 3 Belching or gas within one hour after eating        | 61. 0 1 2 3 Feel like skipping breakfast           |
| 53. 0 1 2 3 Heartburn or acid reflux                            | 62. 0 1 2 3 Feel better if you don't eat           |
| 54. 0 1 2 3 Bloating within one hour after eating               | 63. 0 1 2 3 Sleepy after meals                     |
| 55. 0 1 Vegan diet (no dairy, meat, fish or eggs) (0=no, 1=yes) | 64. 0 1 2 3 Fingernails chip, peel or break easily |
| 56. 0 1 2 3 Bad breath (halitosis)                              | 65. 0 1 2 3 Anemia unresponsive to iron            |
| 57. 0 1 2 3 Loss of taste for meat                              | 66. 0 1 2 3 Stomach pains or cramps                |
| 58. 0 1 2 3 Sweat has a strong odor                             | 67. 0 1 2 3 Diarrhea, chronic                      |
| 59. 0 1 2 3 Stomach upset by taking vitamins                    | 68. 0 1 2 3 Diarrhea shortly after meals           |
| 60. 0 1 2 3 Sense of excess fullness after meals                | 69. 0 1 2 3 Black or tarry colored stools          |
|   | 70. 0 1 2 3 Undigested food in stool               |

**Section 2**

68

- |  |  |
|--|--|
| 71. 0 1 2 3 Pain between shoulder blades   | 85. 0 1 Easily hung over if you were to drink wine (0=no, 1=yes)       |
| 72. 0 1 2 3 Stomach upset by greasy foods  | 86. 0 1 2 3 Alcohol per week (0=<3, 1=<7, 2 =<14, 3=>14)               |
| 73. 0 1 2 3 Greasy or shiny stools   | 87. 0 1 Recovering alcoholic (0=no, 1=yes)                             |
| 74. 0 1 2 3 Nausea   | 88. 0 1 History of drug or alcohol abuse (0=no, 1=yes)                 |
| 75. 0 1 2 3 Sea, car, airplane or motion sickness  | 89. 0 1 History of hepatitis (0=no, 1=yes)                             |
| 76. 0 1 History of morning sickness (0 = no, 1 = yes)  | 90. 0 1 Long term use of prescription/recreational drugs (0=no, 1=yes) |
| 77. 0 1 2 3 Light or clay-colored stools   | 91. 0 1 2 3 Sensitive to chemicals (perfume, cleaning agents, etc.)    |
| 78. 0 1 2 3 Dry skin, itchy feet or skin peels on feet   | 92. 0 1 2 3 Sensitive to tobacco smoke                                 |
| 79. 0 1 2 3 Headache over eyes   | 93. 0 1 2 3 Exposure to diesel fumes                                   |
| 80. 0 1 2 3 Gallbladder attacks (0=never, 1=years ago, 2=within last year, 3=within past 3 months) | 94. 0 1 2 3 Pain under right side of rib cage                          |
| 81. 0 1 Gallbladder removed (0=no, 1=yes)  | 95. 0 1 2 3 Hemorrhoids or varicose veins                              |
| 82. 0 1 2 3 Bitter taste in mouth, especially after meals  | 96. 0 1 2 3 Nutrasweet (aspartame) consumption                         |
| 83. 0 1 Become sick if you were to drink wine (0=no, 1=yes)  | 97. 0 1 2 3 Sensitive to Nutrasweet (aspartame)                        |
| 84. 0 1 Easily intoxicated if you were to drink wine (0=no, 1=yes)                                 | 98. 0 1 2 3 Chronic fatigue or Fibromyalgia                            |

KEY: 0=No, symptom does not occur	2=Moderate symptom, occurs occasionally (weekly)
1=Yes, minor or mild symptom, rarely occurs (monthly)	3=Severe symptom, occurs frequently (daily)

**Section 3**

47

- 99. 0 1 2 3 Food allergies
- 100. 0 1 2 3 Abdominal bloating 1 to 2 hours after eating
- 101. 0 1 Specific foods make you tired or bloated (0=no, 1=yes)
- 102. 0 1 2 3 Pulse speeds after eating
- 103. 0 1 2 3 Airborne allergies
- 104. 0 1 2 3 Experience hives
- 105. 0 1 2 3 Sinus congestion, "stuffy head"
- 106. 0 1 2 3 Crave bread or noodles
- 107. 0 1 2 3 Alternating constipation and diarrhea
- 108. 0 1 2 3 Crohn's disease (0=no, 1=yes in the past, 2=current mild condition, 3=severe)
- 109. 0 1 2 3 Wheat or grain sensitivity
- 110. 0 1 2 3 Dairy sensitivity
- 111. 0 1 Are there foods you could not give up (0=no, 1=yes)
- 112. 0 1 2 3 Asthma, sinus infections, stuffy nose
- 113. 0 1 2 3 Bizarre vivid dreams, nightmares
- 114. 0 1 2 3 Use over-the-counter pain medications
- 115. 0 1 2 3 Feel spacey or unreal

**Section 4**

58

- 116. 0 1 2 3 Anus itches
- 117. 0 1 2 3 Coated tongue
- 118. 0 1 2 3 Feel worse in moldy or musty place
- 119. 0 1 2 3 Taken antibiotic for a total accumulated time of (0=never, 1= <1 month, 2= <3 months, 3= >3 months)
- 120. 0 1 2 3 Fungus or yeast infections
- 121. 0 1 2 3 Ring worm, "jock itch", "athletes foot", nail fungus
- 122. 0 1 2 3 Yeast symptoms increase with sugar, starch or alcohol
- 123. 0 1 2 3 Stools hard or difficult to pass
- 124. 0 1 History of parasites (0=no, 1=yes)
- 125. 0 1 2 3 Less than one bowel movement per day
- 126. 0 1 2 3 Stools have corners or edges, are flat or ribbon shaped
- 127. 0 1 2 3 Stools are not well formed (loose)
- 128. 0 1 2 3 Irritable bowel or mucus colitis
- 129. 0 1 2 3 Blood in stool
- 130. 0 1 2 3 Mucus in stool
- 131. 0 1 2 3 Excessive foul-smelling lower bowel gas
- 132. 0 1 2 3 Bad breath or strong body odors
- 133. 0 1 2 3 Painful to press along outer sides of thighs (Iliotibial Band)
- 134. 0 1 2 3 Cramping in lower abdominal region
- 135. 0 1 2 3 Dark circles under eyes

**Section 5**

75

- 136. 0 1 History of carpal tunnel syndrome (0=no, 1=yes)
- 137. 0 1 History of lower right abdominal pains or ileocecal valve problems (0=no, 1=yes)
- 138. 0 1 History of stress fracture (0=no, 1=yes)
- 139. 0 1 2 3 Bone loss (reduced density on bone scan)
- 140. 0 1 Are you shorter than you used to be? (0=no, 1=yes)
- 141. 0 1 2 3 Calf, foot or toe cramps at rest
- 142. 0 1 2 3 Cold sores, fever blisters or herpes lesions
- 143. 0 1 2 3 Frequent fevers
- 144. 0 1 2 3 Frequent skin rashes and/or hives
- 145. 0 1 Herniated disc (0=no, 1=yes)
- 146. 0 1 2 3 Excessively flexible joints, "double jointed"
- 147. 0 1 2 3 Joints pop or click
- 148. 0 1 2 3 Pain or swelling in joints
- 149. 0 1 2 3 Bursitis or tendonitis
- 150. 0 1 History of bone spurs (0=no, 1=yes)
- 151. 0 1 2 3 Morning stiffness
- 152. 0 1 2 3 Nausea with vomiting
- 153. 0 1 2 3 Crave chocolate
- 154. 0 1 2 3 Feet have a strong odor
- 155. 0 1 2 3 History of anemia
- 156. 0 1 2 3 Whites of eyes (sclera) blue tinted
- 157. 0 1 2 3 Hoarseness
- 158. 0 1 2 3 Difficulty swallowing
- 159. 0 1 2 3 Lump in throat
- 160. 0 1 2 3 Dry mouth, eyes and/or nose
- 161. 0 1 2 3 Gag easily
- 162. 0 1 2 3 White spots on fingernails
- 163. 0 1 2 3 Cuts heal slowly and/or scar easily
- 164. 0 1 2 3 Decreased sense of taste or smell

**Section 6**

22

- 165. 0 1 Experience pain relief with aspirin (0=no, 1=yes)
- 166. 0 1 2 3 Crave fatty or greasy foods
- 167. 0 1 2 3 Low- or reduced-fat diet (0=never, 1=years ago, 2=within past year, 3=current)
- 168. 0 1 2 3 Tension headaches at base of skull
- 169. 0 1 2 3 Headaches when out in the hot sun
- 170. 0 1 2 3 Sunburn easily or suffer sun poisoning
- 171. 0 1 2 3 Muscles easily fatigued
- 172. 0 1 2 3 Dry flaky skin or dandruff

**Section 7**

39

- 173. 0 1 2 3 Awaken a few hours after falling asleep, hard to get back to sleep
- 174. 0 1 2 3 Crave sweets
- 175. 0 1 2 3 Binge or uncontrolled eating
- 176. 0 1 2 3 Excessive appetite
- 177. 0 1 2 3 Crave coffee or sugar in the afternoon
- 178. 0 1 2 3 Sleepy in afternoon
- 179. 0 1 2 3 Fatigue that is relieved by eating
- 180. 0 1 2 3 Headache if meals are skipped or delayed
- 181. 0 1 2 3 Irritable before meals
- 182. 0 1 2 3 Shaky if meals delayed
- 183. 0 1 2 3 Family members with diabetes (0=none, 1=1 or 2, 2=3 or 4, 3=more than 4)
- 184. 0 1 2 3 Frequent thirst
- 185. 0 1 2 3 Frequent urination

KEY: 0=No, symptom does not occur      2=Moderate symptom, occurs occasionally (weekly)  
 1=Yes, minor or mild symptom, rarely occurs (monthly)      3=Severe symptom, occurs frequently (daily)

**Section 8**

81

186.	0 1 2 3	Muscles become easily fatigued	200.	0 1 2 3	Can hear heart beat on pillow at night
187.	0 1 2 3	Feel exhausted or sore after moderate exercise	201.	0 1 2 3	Whole body or limb jerk as falling asleep
188.	0 1 2 3	Vulnerable to insect bites	202.	0 1 2 3	Night sweats
189.	0 1 2 3	Loss of muscle tone, heaviness in arms/legs	203.	0 1 2 3	Restless leg syndrome
190.	0 1 2 3	Enlarged heart or congestive heart failure	204.	0 1 2 3	Cracks at corner of mouth (Cheilosis)
191.	0 1 2 3	Pulse below 65 per minute (0=no, 1=yes)	205.	0 1 2 3	Fragile skin, easily chaffed, as in shaving
192.	0 1 2 3	Ringing in the ears (Tinnitus)	206.	0 1 2 3	Polyps or warts
193.	0 1 2 3	Numbness, tingling or itching in hands and feet	207.	0 1 2 3	MSG sensitivity
194.	0 1 2 3	Depressed	208.	0 1 2 3	Wake up without remembering dreams
195.	0 1 2 3	Fear of impending doom	209.	0 1 2 3	Small bumps on back of arms
196.	0 1 2 3	Worrier, apprehensive, anxious	210.	0 1 2 3	Strong light at night irritates eyes
197.	0 1 2 3	Nervous or agitated	211.	0 1 2 3	Nose bleeds and/or tend to bruise easily
198.	0 1 2 3	Feelings of insecurity	212.	0 1 2 3	Bleeding gums especially when brushing teeth
199.	0 1 2 3	Heart races			

**Section 9**

78

213.	0 1 2 3	Tend to be a "night person"	226.	0 1 2 3	Arthritic tendencies
214.	0 1 2 3	Difficulty falling asleep	227.	0 1 2 3	Crave salty foods
215.	0 1 2 3	Slow starter in the morning	228.	0 1 2 3	Salt foods before tasting
216.	0 1 2 3	Tend to be keyed up, trouble calming down	229.	0 1 2 3	Perspire easily
217.	0 1 2 3	Blood pressure above 120/80	230.	0 1 2 3	Chronic fatigue, or get drowsy often
218.	0 1 2 3	Headache after exercising	231.	0 1 2 3	Afternoon yawning
219.	0 1 2 3	Feeling wired or jittery after drinking coffee	232.	0 1 2 3	Afternoon headache
220.	0 1 2 3	Clench or grind teeth	233.	0 1 2 3	Asthma, wheezing or difficulty breathing
221.	0 1 2 3	Calm on the outside, troubled on the inside	234.	0 1 2 3	Pain on the medial or inner side of the knee
222.	0 1 2 3	Chronic low back pain, worse with fatigue	235.	0 1 2 3	Tendency to sprain ankles or "shin splints"
223.	0 1 2 3	Become dizzy when standing up suddenly	236.	0 1 2 3	Tendency to need sunglasses
224.	0 1 2 3	Difficulty maintaining manipulative correction	237.	0 1 2 3	Allergies and/or hives
225.	0 1 2 3	Pain after manipulative correction	238.	0 1 2 3	Weakness, dizziness

**Section 10**

29

239.	0 1	Height over 6' 6" (0=no, 1=yes)	245.	0 1	Height under 4' 10" (0=no, 1=yes)
240.	0 1	Early sexual development (before age 10) (0=no, 1=yes)	246.	0 1 2 3	Decreased libido
241.	0 1 2 3	Increased libido	247.	0 1 2 3	Excessive thirst
242.	0 1 2 3	Splitting type headache	248.	0 1 2 3	Weight gain around hips or waist
243.	0 1 2 3	Memory failing	249.	0 1 2 3	Menstrual disorders
244.	0 1	Tolerate sugar, feel fine when eating sugar (0=no, 1=yes)	250.	0 1	Delayed sexual development (after age 13) (0=no, 1=yes)
			251.	0 1 2 3	Tendency to ulcers or colitis

**Section 11**

48

252.	0 1 2 3	Sensitive/allergic to iodine	260.	0 1 2 3	Mentally sluggish, reduced initiative
253.	0 1 2 3	Difficulty gaining weight, even with large appetite	261.	0 1 2 3	Easily fatigued, sleepy during the day
254.	0 1 2 3	Nervous, emotional, can't work under pressure	262.	0 1 2 3	Sensitive to cold, poor circulation (cold hands and feet)
255.	0 1 2 3	Inward trembling	263.	0 1 2 3	Constipation, chronic
256.	0 1 2 3	Flush easily	264.	0 1 2 3	Excessive hair loss and/or coarse hair
257.	0 1 2 3	Fast pulse at rest	265.	0 1 2 3	Morning headaches, wear off during the day
258.	0 1 2 3	Intolerance to high temperatures	266.	0 1 2 3	Loss of lateral 1/3 of eyebrow
259.	0 1 2 3	Difficulty losing weight	267.	0 1 2 3	Seasonal sadness

**Section 12 – Men Only**

27

268.	0 1 2 3	Prostate problems	272.	0 1 2 3	Waking to urinate at night
269.	0 1 2 3	Difficulty with urination, dribbling	273.	0 1 2 3	Interruption of stream during urination
270.	0 1 2 3	Difficult to start and stop urine stream	274.	0 1 2 3	Pain on inside of legs or heels
271.	0 1 2 3	Pain or burning with urination	275.	0 1 2 3	Feeling of incomplete bowel evacuation
			276.	0 1 2 3	Decreased sexual function

KEY: 0=No, symptom does not occur	2=Moderate symptom, occurs occasionally (weekly)
1=Yes, minor or mild symptom, rarely occurs (monthly)	3=Severe symptom, occurs frequently (daily)

**Section 13 – Women Only**

60

- |   |  |
|---|--|
| <b>277.</b> 0 1 2 3 Depression during periods                 | <b>287.</b> 0 1 2 3 Breast fibroids, benign masses               |
| <b>278.</b> 0 1 2 3 Mood swings associated with periods (PMS) | <b>288.</b> 0 1 2 3 Painful intercourse (dysparenia)             |
| <b>279.</b> 0 1 2 3 Crave chocolate around periods            | <b>289.</b> 0 1 2 3 Vaginal discharge                            |
| <b>280.</b> 0 1 2 3 Breast tenderness associated with cycle   | <b>290.</b> 0 1 2 3 Vaginal dryness                              |
| <b>281.</b> 0 1 2 3 Excessive menstrual flow                  | <b>291.</b> 0 1 2 3 Vaginal itchiness                            |
| <b>282.</b> 0 1 2 3 Scanty blood flow during periods          | <b>292.</b> 0 1 2 3 Gain weight around hips, thighs and buttocks |
| <b>283.</b> 0 1 2 3 Occasional skipped periods                | <b>293.</b> 0 1 2 3 Excess facial or body hair                   |
| <b>284.</b> 0 1 2 3 Variations in menstrual cycles            | <b>294.</b> 0 1 2 3 Hot flashes                                  |
| <b>285.</b> 0 1 2 3 Endometriosis                             | <b>295.</b> 0 1 2 3 Night sweats (in menopausal females)         |
| <b>286.</b> 0 1 2 3 Uterine fibroids                          | <b>296.</b> 0 1 2 3 Thinning skin                                |

**Section 14**

30

- |  |  |
|--|--|
| <b>297.</b> 0 1 2 3 Aware of heavy and/or irregular breathing  | <b>302.</b> 0 1 2 3 Ankles swell, especially at end of day   |
| <b>298.</b> 0 1 2 3 Discomfort at high altitudes               | <b>303.</b> 0 1 2 3 Cough at night   |
| <b>299.</b> 0 1 2 3 "Air hunger" or sigh frequently            | <b>304.</b> 0 1 2 3 Blush or face turns red for no reason  |
| <b>300.</b> 0 1 2 3 Compelled to open windows in a closed room | <b>305.</b> 0 1 2 3 Dull pain or tightness in chest and/or radiate into right arm, worse with exertion |
| <b>301.</b> 0 1 2 3 Shortness of breath with moderate exertion | <b>306.</b> 0 1 2 3 Muscle cramps with exertion  |

**Section 15**

13

- |  |  |
|--|--|
| <b>307.</b> 0 1 2 3 Pain in mid-back region                        | <b>310.</b> 0 1 2 3 Cloudy, bloody or darkened urine |
| <b>308.</b> 0 1 2 3 Puffy around the eyes, dark circles under eyes | <b>311.</b> 0 1 2 3 Urine has a strong odor          |
| <b>309.</b> 0 1 History of kidney stones (0=no, 1=yes)             |  |

**Section 16**

30

- |   |  |
|---|--|
| <b>312.</b> 0 1 2 3 Runny or drippy nose  | <b>317.</b> 0 1 2 3 Never get sick (0 = sick only 1 or 2 times in last 2 years, 1 = not sick in last 2 years, 2 = not sick in last 4 years, 3 = not sick in last 7 years)  |
| <b>313.</b> 0 1 2 3 Catch colds at the beginning of winter  | <b>318.</b> 0 1 2 3 Acne (adult)   |
| <b>314.</b> 0 1 2 3 Mucus producing cough   | <b>319.</b> 0 1 2 3 Itchy skin (Dermatitis)  |
| <b>315.</b> 0 1 2 3 Frequent colds or flu (0=1 or less per year, 1=2 to 3 times per year, 2=4 to 5 times per year, 3=6 or more times per year)  | <b>320.</b> 0 1 2 3 Cysts, boils, rashes   |
| <b>316.</b> 0 1 2 3 Other infections (sinus, ear, lung, skin, bladder, kidney, etc.) (0=1 or less per year, 1=2 to 3 times per year, 2=4 to 5 times per year, 3=6 or more times per year) | <b>321.</b> 0 1 2 3 History of Epstein Bar, Mono, Herpes, Shingles, Chronic Fatigue Syndrome, Hepatitis or other chronic viral condition (0 = no, 1 = yes in the past, 2 = currently mild condition, 3 = severe) |

KEY: 0=No, symptom does not occur	2=Moderate symptom, occurs occasionally (weekly)
1=Yes, minor or mild symptom, rarely occurs (monthly)	3=Severe symptom, occurs frequently (daily)